

LIST OF REFERENCES

- Aldrich, R. J. 1984. Weed-crop ecology, principles in weed management. Breton Publishers, Belmont, California. 465 pp.
- Allard, R. W. 1965. Genetic systems associated with colonizing ability in predominantly self-pollinated species. In The genetics of colonizing species: Proc. 1st Internat. Union Biol. Sci., Asilomar, California. Eds. H. G. Baker and G. L. Stebbins. Academic Press Inc., New York, pp. 49-76.
- Allen, F. C.; T. J. Smallridge and I. Walker. 1972. Grass weed and sheep's sorrel control in white clover seed crops. Weed Abstracts 22:240-241.
- Andersen, R. N. 1968. Germination and establishment of weeds for experimental purposes. Weed Science Society of America, Urbana, Illinois. 236 pp.
- Anderson, W. P. 1983. Weed science principles, 2nd edition. West Publishing Company, St. Paul. 655 pp.
- Anonymous. 1968. Department of Agriculture, Parliament of Tasmania. Weeds. Weed Abstracts 20:403.
- Anonymous. 1978. U.K. Agricultural development and advisory service review of development work, chemical weed control in lucerne. Weed Abstracts 28:426.
- Anonymous. 1983. Agronomy recommendation wheat and triticale: 1983. Ministry of Agriculture, Republic of Kenya, Njoro. 36 pp.
- Anonymous. 1984. Cereal variety recommendations, 1984. Ministry of Agriculture, Republic of Kenya, Njoro. 5 pp.
- Anonymous. 1985. Weed science terminology. Weed Science 33 (supplement 1).
- Baker, H. G. 1974. The evolution of weeds. Ann. Rev. Ecol. Syst. 5:1-24.
- Barbour, M. G.; J. H. Burk and W. D. Pitts. 1980. Terrestrial plant ecology. The Benjamin/Cummings Publishing Company, Menlo Park, California. 604 pp.
- Bartley, M. R. and B. Frankland. 1984. Phytochrome intermediates and action spectra for light perception by dry seeds. Plant Physiology 74:601-604.

- Baskin, J. M. and C. C. Baskin. 1981. Ecology of germination and flowering in the weedy winter annual grass *Bromus japonicus*. *J. Range Management* 34:369-372.
- Beal, W. J. 1897. *Bromus secalinus* germinating on ice. *Bot. Gaz.* 23:204.
- Behrendt, S. and M. Hanf. 1979. Grass weeds in world agriculture. BASF Aktiengesellschaft, Ludwigshafen AM Rhein. 160 pp.
- Bidwell, R. G. S. 1979. Plant physiology, 2nd edition. MacMillan Publishing Co., Inc., New York. 726 pp.
- Bieringer, H. and K. Bauer. 1984. Studies with the new grass herbicide Joker (fenthiaprop-ethyl): behaviour in the soil, uptake and reliability. *Weed Abstracts* 33:345.
- Bogdan, A. V. 1958. A revised list of Kenya grasses. Government Printer, Nairobi.
- Bogdan, A. V. 1965. Weeds in Kenya wheat. *Weed Research* 5:351-352.
- Bouchet, F. and X. DeGournay. 1965. Trials for the control of volunteer seedlings and other grass weeds in seed crops of herbage grasses. *Weed Abstracts* 15:78.
- Briggs, K. E. 1983. Overseas aid in Kenya - wheat breeding. *Agriculture and Forestry Bulletin* 6:66-67.
- Buchanan, G. A.; C. S. Hoveland and M. C. Harris. 1975. Response of weeds to soil pH. *Weed Science* 23:473-477.
- Burnside, O. C.; G. A. Wicks; V. A. Johnson and B. A. Swisher. 1983. Competitive ability of winter wheat cultivars to cheat (*Bromus secalinus*). 1983 Meeting of the W.S.S.A. pp. 15-16.
- Carmean, K. V. and O. G. Russ. 1982. Control of cheat in winter wheat with metribuzin and the tolerance of wheat cultivars to metribuzin. *Proc. North Central Weed Control Conference 1982.* p. 17.
- Chancellor, R. J. 1980. Grass seeds beneath pastures. *Weed Abstracts* 29:322.
- Chatterton, N. J. and A. R. Kadish. 1969. A temperature gradient germinator. *Agronomy Journal* 61:643-644.
- Clayton, W. D. 1971. Gramineae (Part 1), In Flora of Tropical East Africa. Eds. E. Milne-Redhead and R. M. Polhill. Crown Agents for Overseas Governments and Administrations, London. 176 pp.
- Clegg, M. D. and J. D. Eastin. 1978. A thermogradient generating sand table. *Agronomy Journal* 70:881-883.

- Cooper, F. B. 1982. Experiences in controlling *Bromis mollis* L. in permanent swards. Proc. British Crop Protection Conference - Weeds (1982) 1:381-385.
- Dew, D. A. 1972. An index of competition for estimating crop loss due to weeds. Can. J. Plant Sci. 52:921-927.
- Eli Lilly and Co. 1961. Technical report on diphenamide. Weed Abstracts 11:241.
- Erny, M.; L. Roa and J. L. Leterrier. 1983. Destruction des graminees annuelles dans les cultures de colzo d'hiver avec le fenthia-prop-ethyl en application de post-levee. Weed Abstracts 33:108.
- Evans, R. A.; B. L. Kay and C. M. McKell. 1963. Herbicides to prevent seed set or germination of medusahead. Weeds 11:273-276.
- Fedorov, A. 1969. Chromosome numbers of flowering plants reprinted by Otto Koeltz Science Publishers, Koenigstein, West-Germany. 928 pp.
- Fedtke, C. 1982. Biochemistry and physiology of herbicide action. Springer-Verlag, Berlin. 202 pp.
- Finnerty, D. W. and D. L. Klingman. 1962. Life cycles and control studies of some weed bromegrasses. Weeds 10:40-47.
- Fischer, M. L. and T. F. Peeper. 1981. Metribuzin application timing for cheat control in wheat. Proc. 34th Annual Meeting of the Southern Weed Science Society (1981). p. 95.
- Follet, R. H.; L. S. Murphy and R. L. Donahue. 1981. Fertilizers and soil amendments. Prentice Hall, Inc., Englewood Cliffs, New Jersey. 557 pp.
- Freeman, J. F. 1960. Control of wild bromegrasses with herbicides used pre-emergence or early post-emergence. Weed Abstracts 11:283.
- Gigax, D. R. 1979. Winter wheat weed control with metribuzin. Proc. North Central Weed Control Conf., 1979, 34:36.
- Gill, N. T. 1938. The viability of weed seeds at various stages of maturity. Annals of Applied Biology 25:447-456.
- Glauninger, J. and W. Holzner. 1982. Interference between weeds and crops: a review of literature. In Biology and ecology of weeds. Eds. W. Holzner and N. Numata. Dr. W. Junk Publishers, The Hague. pp. 149-160.
- Goldsworthy, J. A. and D. J. Drummond. 1981. Control of soft brome (*Bromis mollis*) in established grassland of Scotland with ethofumesate. Weed Abstracts 31:191.

- Greer, H.; T. Peeper and D. Fain. 1980. Cheat control in wheat. Proc. of the 33rd Annual Meeting of the Southern Weed Science Society. p. 314.
- Griffiths, W.; C. H. Hammond and C. J. Edwards. 1978. Weed control in new leys and established pastures with ethofumesate. Proc. 1978 British Crop Protection Conf. - Weeds. pp. 309-316.
- Grossbard, E. and D. Atkinson (Eds). 1985. The herbicide glyphosate. Butterworths and Co. (Publishers) Ltd., London. 490 pp.
- Gupta, U. C. 1969. Effect and interaction of molybdenum and limestone on growth and molybdenum content of cauliflower, alfalfa, and bromegrass on acid soils. Soil Science Society of America Proc. 36:929-932.
- Harper, J. L. 1961. Approaches to the study of plant competition. In Mechanisms in biological competition. Ed. F. L. Milthorpe. Symposium of the Society of Experimental Biology 15:1-39.
- Harper, J. L. 1977. Population biology of plants. Academic Press, Toronto. 892 pp.
- Harris, G. S. 1961. The periodicity of germination in some grass species. Weed Abstracts 11:94-95.
- Hartley, W. 1973. Studies on the origin, evolution, and distribution of the Gramineae. V. The subfamily Festucoideae, Austl. J. Bot. 21:201-234.
- Hilton, J. R. 1984a. The influence of temperature and moisture status on the photoinhibition of seed germination in *Bromus sterilis* L. by the far-red absorbing form of phytochrome. New Phytologist 97:369-374.
- Hilton, J. R. 1984b. The influence of dry storage temperature on the response of *Bromus sterilis* L. seeds to light. New Phytologist 98:129-134.
- Hitchcock, A. S. and A. Chase. 1950. Manual of the grasses of the United States. U.S.D.A. Misc. Pub. 200. 1051 pp.
- Hughes, W. E. 1976. Chemical control of *Bromus mollis* in hay meadows. Weed Abs. 27:141.
- Hulbert, L. C. 1955. Ecological studies of *Bromus tectorum* and other annual bromegrasses. Eco. Mono. 25:181-213.
- Imbamba, S. K. 1979. Photosynthetic systems as a basis for weed competition. Proc. 7th East African Weed Science Conf. pp. 16-28.
- Inouye, R. S. and W. M. Schaffer. 1981. On the ecological meaning of ratio (deWit) diagrams in plant ecology. Ecology 62:1679-1681.

- Ivens, G. W. 1967. East African weeds and their control. Oxford University Press, Nairobi. 250 pp.
- Jain, S. K. 1982. Variation and adaptive role of seed dormancy in some annual grassland species. Bot. Gaz. 143:101-106.
- Kamprath, E. J. 1984. Crop response to lime on soils in the tropics. In Soil acidity and liming - Agronomy monograph no. 12 (2nd edition) ed. F. Adams. ASA-CCSA-SSSA, Madison. pp. 349-368.
- Kirkwood, R. C.; R. McIntosh and J. Robertson. 1984. The mode of action and basis of selectivity of isoproturon foliar-applied to wheat, wild oat and blackgrass. In Herbicide activity in plants. Proc. of the 11th workshop on chemistry and biochemistry of herbicides. Eds. P.N.P. Chow and C. A. Grant. Brandon Research Station, Brandon, pp. 1-14.
- Kurth, H. 1964. Studies on the phytotoxic effect of chlorinated aliphatic carbonic acid herbicides (dalapon, TCP, TCA) on different soils. Weed Abstracts 15:117.
- Laude, H. M. 1956. Germination of freshly harvested seed of some western range species. J. Range Management 9:126-129.
- Levitt, G.; H. L. Ploeg; R. C. Weigel, Jr. and D. J. Fitzgerald. 1981. 2-Chloro-N[(4-methoxy-6-methyl-1,3,5-triazin-2-yl) aminocarbonyl] benzenesulfonamide, a new herbicide. J. Agr. Food Chem. 29:418-420.
- Linhart, Y. B. 1976. Density-dependent seed germination strategies in colonizing versus non-colonizing plant species. J. Ecology 64:375-380.
- Major, J. 1962. Herbaceous range weeds. Weed Abstracts 13:120.
- Martin, A. R. and R. S. Moomaw. 1974. Warm season grass establishment using herbicides. Proc. North Central Weed Control Conf. (1974). 29:63-64.
- Martin, H. and C. R. Worthing. 1977. Pesticide manual, fifth edition. British Crop Protection Council, Worcestershire. 593 pp.
- Mathis, W. D.; L. R. Oliver and D. Bell. 1976. Early postemergence susceptibility of gramineae species to Hoe 23408. Weed Abstracts 26:893.
- McCown, R. L. and W. A. Williams. 1968. Competition for nutrients and light between the annual grassland species *Bromus mollis* and *Erodium botrys*. Ecology 49:981-990.
- McGowan, A. A. 1970. Comparative germination patterns of annual grasses in north-eastern Victoria. Aust. J. Exp. Agric. and Anim. Husb. 10:401-404.

- McNeill, J. 1976. The taxonomy and evolution of weeds. *Weed Research* 16:399-413.
- McNeil, W. K. and T. F. Peeper. 1977. Effect of planting depth on emergence and early growth of cheat and two wild oat species. *Proc. of the 30th Annual Meeting of the Southern Weed Science Society* 30:361.
- McNeil, W. K. and T. F. Peeper. 1978. Correction of wheat yield data for *Bromus* or *Avena* spp. content. *Proc. of the 31st Annual Meeting of the Southern Weed Science Society* 31:69.
- Mijatovic, M. 1973. Fertilizer application and weeds of natural grasslands of hill and mountain. *Weed Abstracts* 24:331.
- Mott, N. 1962. The influence of physiologically acid and alkaline fertilizers on stand composition in meadows. *Weed Abstracts* 13:299.
- Mueller-Warrant, G. W. and D. W. Koch. 1980. Establishment of alfalfa by conventional and minimum-tillage seeding techniques in a quackgrass-dominant sward. *Agronomy Journal* 72:884-889.
- Mulamula, H. H. A. 1983. Wheat in Kenya: current status. In Proc. of the regional wheat workshop for East, Central and Southern Africa, Arusha, June 13-17, 1983, Ed. E. Torres. C.I.M.M.Y.T., Nairobi. pp. 26-31.
- Muller, C. H. 1966. The role of chemical inhibition (allelopathy) in vegetational composition. *Bull. Tor. Bot. Club* 93:332-351.
- Mundt, G. A. and G. A. Lee. 1979. Phytotoxicity of diclofop-methyl, dinitroamine, and trifluralin in wheat (*Triticum aestivum*), downy brome (*Bromus tectorum*), and ripgut brome (*Bromus rigidus*) as influenced by incorporation depth. *Proc. of the Western Society of Weed Science* 1979. 32:48.
- Napper, D. 1966. Grasses of Tanganyika. Government Printer, Dar es Salaam.
- O'Connor, B. P.; I. C. Logan and G. R. Rowe. 1975. Effect of ethofumesate on barley grass and other pasture species. *Weed Abstracts* 26:72.
- Olson, P. D. and M. H. Ehlhardt. 1983. Hoe 35609 (Hoe 00583) - a new grass herbicide. *Weed Abstracts* 33:386.
- Owino, M. G. and R. Little. 1979. Chemical control of wild oats and other weeds in barley. *Proc. of the 7th East African Weed Science Conf.* pp. 83-91.
- Owino, M. G.; I. Mwai; H. M. Muhoro; O. Nyachae; N. N. Mureithi and R. Mutuura. 1983. Growing malting barley in Kenya, 4th edition. Kenya Breweries Ltd., Nairobi. 50 pp.

- Palmlad, I. G. 1968. Competition in experimental populations of weeds with emphasis on the regulation of population size. *Ecology* 49:26-34.
- Parker, C. 1977. Prediction of new weed problems, especially in the developing world. In Origins of pest, parasite, disease and weed problems. Eds. J. M. Cherrett and G. R. Sagar. Blackwell Scientific Publications, Oxford. pp. 249-264.
- Pavlychenko, T. K. and J. B. Harrington. 1934. Competitive efficiency of weeds and cereal crops. *Can. J. Research* 10:77-94.
- Peel, S. and A. Hopkins. 1980. The incidence of weeds in grassland. *Proceedings 1980 British Crop Protection Conference - Weeds*. pp. 877-890.
- Petersen, J. L.; R. L. Potter and D. Veckert. 1983. Evaluation of selected herbicides for manipulating herbaceous rangeland vegetation. *Weed Science* 31:735-739.
- Pettersson, J. 1971. Studies on four grass-inhabiting species of *Schizaphis* (Hom:Aph.) 3.(a) Host plants. *Swedish Journal of Agricultural Research* 1:133-138.
- Pollard, F. 1982. Light induced dormancy in *Bromus sterilis*. *J. Applied Ecology*. 19:563-568.
- Pollard, F.; W. G. Richardson and T. M. West. 1984. Control of *Bromus* species in winter barley in England using EPTC. *Crop Protection* 3:431-438.
- Putener, W. ed. 1981. Manual for field trials in plant protection, 2nd edition. Ciba-Geigy, Basle, Switzerland. 205 pp.
- Putnam, A. R.; A. P. Love and G. Pagano. 1974. Response of deciduous fruit trees and several orchard weeds to glyphosate. Abstracts, Meeting of the Weed Science Society of America. pp. 114-117.
- Ray, T. B. 1984. Site of action of chlorsulfuron inhibition of valine and isoleucine biosynthesis in plants. *Plant Physiology* 75:827-831.
- Reuss, H. -V.; K. Schmutzler; N. Dieterich and N. Schumacher. 1984. Joker (Hoe 35609) a selective herbicide against annual and perennial grasses in dicotyledonous crops. *Weed Abstracts* 33:346.
- Rice, E. L. 1971. Inhibition of nodulation of inoculated legumes by leaf leachates from pioneer plant species from abandoned fields. *Amer. J. Botany* 58:368-371.

- Richardson, W. G.; T. M. West and C. Parker. 1979. Technical report no. 57, The activity and pre-emergence selectivity of some recently developed herbicides: R 40244, AC 206784, pendimethalin, butralin, acifluorfen and FMC 39821. A.R.C. Weed Research Organization, Oxford. 71 pp.
- Richardson, W. G.; T. M. West; G. P. White. 1983. Technical report no. 69, The activity and late post-emergence selectivity of some recently developed herbicides: AC 252925, DOWCO 453, HOE 33171 and HOE 35609. A.F.R.C. Weed Research Organization, Oxford. 39 pp.
- Richardson, W. G.; F. Pollard. 1984. The response of different cultivars of wheat, barley, *Bromus sterilis* and *B. pectinatus* to metribuzin applied pre-emergence. Annals of Applied Biology 104(supplement):70-71.
- Roberts, H. A. and M. E. Potter. 1980. Emergence patterns of weed seedlings in relation to cultivation and rainfall. Weed Research 20:377-386.
- Runyan, T. J. and T. F. Peeper. 1979a. Variables affecting efficacy and phytotoxicity of metribuzin to winter wheat. Proc. of the 32nd Annual Meeting of the Southern Weed Science Society (1979). p. 40.
- Runyan, T. J. and T. F. Peeper. 1979b. Cultural control of *Bromus* spp. in winter wheat. Proc. of the 32nd Annual Meeting of the Southern Weed Science Society (1979). p. 40.
- Smith, T. A. 1970. Effects of disturbance on seed germination in some annual plants. Ecology 51:1106-1108.
- Soper, D. and A. S. Hutchison. 1976. Mixtures of asulam/phenoxyalkanoic herbicides for general weed control in permanent pasture. Proc. 1976 British Crop Protection Conference - Weeds. pp. 583-589.
- Spitters, C. J. T. and J. P. Van den Bergh. 1982. Competition between crops and weeds: A system approach. In Biology and ecology of weeds. Eds. W. Holzner and N. Numata. Dr. W. Junk Publishers, The Hague. pp. 137-148.
- Spitters, C. J. T. 1983. An alternative approach to the analysis of mixed cropping experiments, 1. Estimation of competition effects. Neth. J. Agric. Sci. 31:1-11.
- Stanley, R. L. and J. E. Cagle. 1979. Cheat (*Bromus secalinus* L.) control in wheat and varietal responses to metribuzin in Oklahoma. Weed Abstracts 29:9.
- Stearn, W. T. 1973. Botanical latin history, grammar, syntax, terminology and vocabulary. David and Charles Ltd., London. 566 pp.

- Steinbauer, G. P. and B. H. Grigsby. 1957a. Field and laboratory studies on the dormancy and germination of the seeds of chess (*Bromus secalinus*) and downy brome (*Bromus tectorum* L.). Weeds 5:1-4.
- Steinbauer, G. P. and B. H. Grigsby. 1957a. Interaction of temperature, light and moistening agent in the germination of weed seeds. Weeds 5:175-182.
- Stobbe, E. H. 1983. Discussion section, control of Kikuyu grass. In Proc. of the regional wheat workshop for East, Central and Southern Africa, Arusha, June 13-17, 1983, Ed. E. Torres. C.I.M.M.Y.T., Nairobi. p. 162.
- Sweet, R. D. 1976. When it comes to competing with weeds some are more equal than others. Crops and Soils 28:7-9.
- Sweetser, P. B.; G. S. Schow and J. M. Hutchison. 1982. Metabolism of chlorsulfuron by plants: biological basis for selectivity of a new herbicide for cereals. Pesticide Biochemistry and Physiology 17:18-23.
- Talbert, R. E. and J. E. Vaile. 1969. Evaluation of herbicides for strawberries. Weed Abstracts 19:2039.
- Thai, K. M.; S. Jana and J. M. Naylor. 1985. Variability for response to herbicides in wild oat (*Avena fatua*) populations. Weed Science 33:829-835.
- Thill, D. C.; R. D. Schirman and A. P. Appleby. 1979. Influence of soil moisture, temperature and compaction on the germination and emergence of downy brome (*Bromus tectorum*). Weed Science 27:625-630.
- Thill, D. C.; K. G. Beck and R. H. Callihan. 1984. The biology of downy brome (*Bromus tectorum*). Weed Science 32 (supplement 1): 7-12.
- Tieszen, L. L.; M. M. Senyimba; S. K. Imbamba and J. H. Troughton. 1979. The distribution of C₃ and C₄ grasses and carbon isotope discrimination along an altitudinal and moisture gradient in Kenya. Oecologia (Berl.) 37:337-350.
- Uhlig, S. K. 1963. On the differential response of plants of rye brome (*Bromus secalinus* L.) of varying ages to treatment with dalapon and amitrole. Weed Abstracts 13:28.
- Uhlig, S. K. 1964. Investigations and experiences on the effect of various environmental factors on the activity of simazine. Weed Abstracts 15:112.
- Wagner, R. H. 1967. Application of a thermal gradient bar to the study of germination patterns in successional herbs. Am. Midl. Nat. 77:86-92.

- Walker, C. F. and W. A. Williams. 1963. Responses of annual-type range vegetation to sulfur fertilization. *J. Range Management* 16:64-69.
- Walker, R. H. and G. A. Buchanan. 1982. Crop manipulation in integrated weed management systems. *Weed Science* 30 (supplement 1): 17-24.
- Waller, S. S. and D. K. Schmidt. 1983. Improvement of eastern Nebraska tall-grass range using atrazine or glyphosate. *J. of Range Management* 36:87-90.
- Warren, L. E. 1968. Suppression of annual grasses on roadsides, levees, railroads and other non-crop areas with Dowpon. *Weed Abstracts* 19:375.
- Winans, S. S. and C. M. McKell. 1963. Tarweed a nuisance plant on California ranges. *Weed Abstracts* 12:307.
- Wit, C. T. de. 1960. On Competition. *Agric. Res. Rep. (Versl. landbouwk. Onderz.)* 66. 82 pp.
- WSSA. 1983. Herbicide handbook of the W.S.S.A., 5th edition. Eds. Herbicide Handbook Committee. Weed Science Society of America, Champaign, Illinois. 515 pp.
- Young, J. A.; R. A. Evans and B. L. Kay. 1973. Temperature requirements for seed germination in an annual-type rangeland community. *Agronomy Journal* 65:656-659.
- Zimdahl, R. L. 1980. Weed - crop competition - a review. I.P.P.C., Oregon State University, Corvallis. 196 pp.