

Appendix

Appendix 1. : Precipitation and temperature recorded at the National Plant Breeding Station, Njoro, Kenya, February 1982 to February 1984

| Date | February, 1982 | | March, 1982 | | April, 1982 | | May, 1982 | | June, 1982 | | | |
|---------|----------------|----------------------------|-------------|----------------------------|-------------|----------------------------|------------|----------------------------|------------|----------------------------|-------------|--|
| | Rain mm | Temperature Min.(C)Max. | Rain mm | Temperature Min.(C)Max. | Rain mm | Temperature Min.(C)Max. | Rain mm | Temperature Min.(C)Max. | Rain mm | Temperature Min.(C)Max. | | |
| 1 | | 10.4 - 25.3 | | 8.2 - 27.8 | | 13.0 - 24.0 | | N.V.* | | 14.7 | 10.0 - 22.8 | |
| 2 | | 8.0 - 26.5 | | 9.6 - 28.3 | 18.3 | 12.0 - 20.9 | | 19.4 | | | 9.3 - 22.0 | |
| 3 | | 10.4 - 26.5 | | 10.5 - 28.0 | | 12.5 - 19.3 | | 17.0 | | 4.5 | 7.9 - 22.4 | |
| 4 | | 9.6 - 26.8 | | 9.5 - 28.0 | 1.0 | 12.5 - 25.0 | | 12.5 | | | 9.1 - 22.8 | |
| 5 | | 9.6 - 26.5 | | 8.7 - 28.0 | 0.3 | 11.0 - 25.0 | | | | | 8.2 - 22.3 | |
| 6 | | 8.5 - 26.2 | 0.4 | 10.5 - 27.0 | | 10.0 - 24.5 | | 3.0 | | | 8.0 - 23.0 | |
| 7 | | 8.4 - 27.7 | | 9.0 - 26.3 | | 10.5 - 26.3 | | | | | 8.2 - 22.5 | |
| 8 | | 10.3 - 26.8 | 0.8 | 8.0 - 27.0 | 8.3 | 12.5 - 26.0 | | | | | 8.9 - 22.5 | |
| 9 | | 10.1 - 27.3 | | 9.0 - 27.3 | 3.0 | 9.2 - 22.8 | | | | | 8.2 - 22.7 | |
| 10 | | 10.6 - 25.5 | | 8.0 - 26.8 | | 10.2 - 24.6 | | | | | 9.2 - 23.2 | |
| 11 | 0.5 | 9.3 - 26.0 | | 8.0 - 26.7 | 0.5 | 9.8 - 23.2 | | | | | 7.8 - 23.0 | |
| 12 | | 9.3 - 26.1 | | 6.5 - 27.6 | 4.2 | 10.4 - 25.4 | | | | 0.5 | 7.5 - 23.6 | |
| 13 | | 8.8 - 27.3 | | 9.0 - 26.5 | | 13.8 - 24.9 | | 6.5 | | | 8.2 - 22.5 | |
| 14 | | 12.3 - 27.3 | | 7.8 - 27.3 | | 11.9 - 25.2 | | | | | 8.8 - 22.6 | |
| 15 | 5.0 | 9.3 - 26.5 | | 8.8 - 27.2 | 0.6 | 11.3 - 24.3 | | | | 0.3 | 7.0 - 27.1 | |
| 16 | 7.4 | 9.9 - 24.9 | | 9.3 - 26.2 | 11.3 | 13.1 - 23.5 | | | | | 10.1 - 22.2 | |
| 17 | 5.4 | 9.8 - 25.0 | | 7.5 - 27.0 | 11.5 | 13.5 - 22.9 | | | | 4.9 | 10.2 - 22.5 | |
| 18 | 2.7 | 9.0 - 26.0 | | 8.3 - 27.3 | 2.3 | 9.5 - 21.6 | | | | 3.7 | 11.6 - 22.5 | |
| 19 | | 8.5 - 25.4 | | 11.0 - 28.4 | 1.1 | 11.2 - 24.6 | | | | | 10.6 - 21.9 | |
| 20 | | 8.0 - 26.5 | | 11.3 - 27.8 | 11.4 | 10.6 - 24.0 | | | | | 8.0 - 22.8 | |
| 21 | | 8.3 - 25.6 | | 11.4 - 27.6 | 4.0 | 9.9 - 23.8 | | | | 0.5 | 12.3 - 22.5 | |
| 22 | | 8.5 - 26.4 | 2.3 | 8.0 - 27.0 | 1.8 | 11.9 - 23.4 | | | | 0.8 | 11.7 - 22.4 | |
| 23 | | 8.6 - 26.3 | | 7.9 - 28.0 | | 10.2 - 24.1 | | | | | 11.8 - 21.8 | |
| 24 | | 8.3 - 25.8 | | 8.5 - 28.0 | 2.3 | 10.1 - 24.4 | | | | 8.0 | 8.9 - 21.4 | |
| 25 | | 10.0 - 28.3 | | 8.8 - 28.4 | 2.3 | 7.5 - 22.8 | | | | 1.3 | 6.6 - 21.7 | |
| 26 | | 10.3 - 28.3 | | 7.0 - 28.5 | 8.6 | 10.8 - 23.4 | | | | | 6.9 - 22.4 | |
| 27 | | 10.5 - 29.2 | | 9.0 - 27.8 | 11.0 | 12.2 - 23.5 | | | | | 5.0 - 22.0 | |
| 28 | | 7.6 - 27.8 | | 11.0 - 28.7 | 32.8 | 9.9 - 23.3 | | | | | 6.8 - 21.0 | |
| 29 | | | 1.4 | 13.8 - 28.4 | 3.6 | 13.4 - 23.4 | | | | 0.6 | 5.7 - 21.4 | |
| 30 | | | | 13.0 - 24.5 | 3.9 | 11.0 - 24.0 | | | | | 5.6 - 21.8 | |
| 31 | | | | 13.0 - 27.5 | | | | | | | | |
| Total | 21.0 | | 4.9 | | 144.1 | | | 139.8 | | 40.3 | | |
| Average | 9.4 | 26.6 | 9.4 | 27.5 | 11.1 | 23.8 | 10.7 | 22.4 | 8.6 | 22.5 | | |

Appendix 1. continued (page 2)

| Date | July, 1982 | | August, 1982 | | September, 1982 | | October, 1982 | | November, 1982 | |
|---------|------------|-----------------------------|--------------|-----------------------------|-----------------|-----------------------------|---------------|-----------------------------|----------------|-----------------------------|
| | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. |
| 1 | | 5.5 - 20.1 | 16.8 | 7.8 - 24.3 | | 7.9 - 23.4 | | 6.8 - 22.6 | 0.5 | 10.6 - 21.5 |
| 2 | | 5.5 - 21.8 | 36.3 | 12.0 - 22.6 | 0.6 | 7.4 - 23.0 | | 6.5 - 23.1 | 17.0 | 13.4 - 21.2 |
| 3 | | 8.5 - 23.8 | 1.0 | 10.8 - 20.0 | 0.9 | 8.2 - 24.3 | | 6.6 - 23.2 | 8.3 | 13.5 - 21.4 |
| 4 | | 11.0 - 23.0 | 13.1 | 8.0 - 20.8 | 4.2 | 10.2 - 23.5 | 0.4 | 5.2 - 22.8 | 8.5 | 9.8 - 21.4 |
| 5 | | 6.6 - 22.6 | 22.8 | 8.0 - 21.4 | 0.4 | 8.5 - 23.5 | | 6.4 - 23.7 | | 10.0 - 22.1 |
| 6 | | 6.4 - 21.3 | 8.6 | 7.4 - 21.6 | | 7.0 - 23.2 | | 7.8 - 24.4 | | 9.9 - 23.9 |
| 7 | | 11.6 - 22.6 | 3.8 | 6.8 - 22.3 | 3.2 | 7.1 - 23.4 | 0.3 | 7.5 - 23.5 | 1.3 | 10.3 - 23.3 |
| 8 | 1.4 | 8.0 - 22.2 | | 7.0 - 21.6 | | 6.0 - 23.0 | 1.3 | 7.0 - 24.7 | | 11.6 - 23.4 |
| 9 | 8.3 | 6.4 - 21.8 | | 6.8 - 22.5 | | 7.2 - 23.3 | 1.3 | 7.8 - 23.3 | | 11.0 - 21.3 |
| 10 | | 8.4 - 21.8 | | 7.0 - 22.0 | | 7.0 - 23.0 | | 7.3 - 23.6 | T | 11.6 - 22.3 |
| 11 | | 7.0 - 22.0 | 3.4 | 8.2 - 21.4 | 0.4 | 8.2 - 23.4 | | 8.9 - 23.9 | T | 9.2 - 23.2 |
| 12 | | 8.0 - 23.0 | 11.3 | 10.1 - 24.9 | | 6.0 - 22.7 | 1.0 | 12.5 - 21.7 | | 9.6 - 22.0 |
| 13 | | 6.5 - 22.7 | 38.5 | 11.5 - 22.0 | | 7.0 - 23.6 | 0.2 | 7.0 - 21.0 | | 9.0 - 22.2 |
| 14 | | 7.1 - 23.2 | 6.5 | 10.8 - 20.3 | | 8.1 - 24.6 | 0.1 | 11.0 - 24.0 | | 10.0 - 21.6 |
| 15 | | 11.4 - 22.7 | 20.6 | 11.9 - 18.1 | 1.0 | 13.3 - 21.8 | 0.7 | 10.5 - 24.4 | 15.0 | 11.8 - 21.6 |
| 16 | 6.0 | 6.3 - 22.8 | 13.7 | 12.3 - 19.8 | 0.2 | 11.6 - 21.2 | 0.2 | 7.4 - 23.4 | 6.3 | 10.8 - 20.5 |
| 17 | | 10.5 - 22.0 | 0.3 | 12.2 - 20.3 | 2.5 | 9.3 - 22.7 | 1.9 | 13.0 - 21.5 | | 9.8 - 20.8 |
| 18 | | 8.5 - 22.0 | | 8.9 - 21.0 | | 7.6 - 23.7 | 8.5 | 12.5 - 18.8 | | 12.6 - 21.5 |
| 19 | | 5.4 - 23.0 | | 8.8 - 21.2 | | 7.6 - 23.0 | 37.8 | 10.5 - 21.3 | | 9.2 - 18.2 |
| 20 | | 5.1 - 22.7 | | 7.4 - 21.4 | | 8.7 - 24.0 | 12.1 | 7.3 - 19.9 | 1.0 | 11.4 - 20.6 |
| 21 | | 5.5 - 23.8 | 12.3 | 8.0 - 23.1 | | 12.3 - 23.6 | 3.6 | 11.3 - 21.3 | | 8.3 - 20.3 |
| 22 | | 7.0 - 22.9 | 0.2 | 8.0 - 21.6 | 2.3 | 8.8 - 22.7 | 9.3 | 10.8 - 18.8 | | 9.0 - 22.9 |
| 23 | 2.3 | 7.8 - 22.8 | 3.7 | 9.0 - 22.1 | 9.7 | 12.0 - 22.8 | 1.6 | 9.8 - 21.8 | 5.0 | 8.8 - 22.5 |
| 24 | 7.6 | 10.8 - 22.6 | 0.5 | 9.8 - 21.1 | 1.3 | 7.4 - 21.3 | | 8.0 - 21.2 | 0.6 | 13.7 - 22.8 |
| 25 | T | 8.3 - 19.3 | 12.5 | 7.0 - 21.4 | 1.9 | 6.8 - 22.0 | | 9.3 - 19.6 | 0.5 | 9.5 - 22.0 |
| 26 | | 6.9 - 21.1 | | 7.5 - 21.7 | | 11.3 - 22.0 | 1.3 | 8.5 - 22.1 | 9.5 | 11.8 - 22.0 |
| 27 | | 6.5 - 21.9 | 1.0 | 9.4 - 22.5 | | 6.3 - 22.6 | T | 10.5 - 23.3 | 13.2 | 10.2 - 20.6 |
| 28 | | 6.2 - 22.6 | 4.0 | 6.6 - 21.6 | | 7.5 - 23.3 | | 8.5 - 22.8 | 3.2 | 12.5 - 21.4 |
| 29 | 0.4 | 8.2 - 23.8 | 16.6 | 7.1 - 21.6 | | 6.5 - 23.4 | 0.4 | 11.1 - 24.0 | 24.8 | 8.3 - 18.3 |
| 30 | | 7.0 - 24.5 | 0.4 | 7.3 - 22.4 | | 8.0 - 23.1 | 12.0 | 12.5 - 20.5 | 7.3 | 12.1 - 20.3 |
| 31 | T | 8.4 - 24.4 | | 6.9 - 22.5 | | | 0.4 | 13.2 - 22.3 | | |
| Total | 26.0 | | 247.9 | | 28.6 | | 94.0 | | 134.4 | |
| Average | 7.6 | 22.5 | 8.7 | 21.7 | 8.4 | 23.1 | 9.1 | 22.3 | 10.6 | 21.6 |

Appendix 1. continued (page 3)

| Date | December, 1982 | | January, 1983 | | February, 1983 | | March, 1983 | | April, 1983 | |
|---------|----------------|-----------------------------|---------------|-----------------------------|----------------|-----------------------------|-------------|-----------------------------|-------------|-----------------------------|
| | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. |
| 1 | 6.0 | 13.3 - 21.5 | N.V. | 8.3 - N.V. | | 10.5 - 24.3 | | 10.0 - 28.0 | 0.7 | 10.6 - 26.6 |
| 2 | 22.1 | 12.5 - 21.7 | | 9.3 - 23.7 | 0.8 | 11.0 - 26.8 | | 8.9 - 28.0 | 2.4 | 10.4 - 25.3 |
| 3 | 2.6 | 12.5 - 21.5 | | 6.0 - 22.8 | | 14.2 - 26.3 | | 8.0 - 27.5 | | 10.5 - 24.0 |
| 4 | 2.8 | 12.5 - 21.5 | | 6.2 - 23.2 | | 11.7 - 24.0 | | 10.1 - 27.0 | | 10.0 - 28.3 |
| 5 | 1.6 | 12.8 - 22.3 | | 8.0 - 23.5 | | 11.5 - 25.1 | 4.7 | 10.1 - 27.2 | | 11.0 - 27.5 |
| 6 | | 8.4 - 21.4 | 1.7 | 11.0 - 23.5 | | 8.0 - 25.3 | | 10.0 - 26.4 | | 10.3 - 27.3 |
| 7 | 1.3 | 11.5 - 20.4 | 14.0 | 10.0 - 23.5 | | 7.4 - 25.8 | | 9.0 - 27.0 | | 9.5 - 28.0 |
| 8 | 6.6 | 11.8 - 20.6 | | 6.8 - 22.3 | | 6.9 - 26.0 | | 9.5 - 28.4 | 1.6 | 10.0 - 27.5 |
| 9 | 0.2 | 8.0 - 21.0 | | 7.6 - 23.1 | | 7.1 - 25.8 | | 10.0 - 29.0 | | 9.0 - 22.5 |
| 10 | | 7.6 - 22.0 | | 7.7 - 22.7 | | 9.5 - 27.0 | 0.5 | 10.4 - 23.6 | | 9.2 - 25.6 |
| 11 | 1.6 | 9.5 - 20.9 | | 7.0 - 23.3 | | 11.9 - 27.0 | | 10.1 - 25.8 | | 10.0 - 27.0 |
| 12 | | 10.9 - 21.8 | | 5.9 - 22.6 | 14.6 | 10.8 - 23.8 | | 10.9 - 29.0 | | 10.0 - 27.4 |
| 13 | 6.8 | 12.3 - 22.3 | | 8.3 - 22.3 | 1.2 | 10.8 - 19.7 | | 11.5 - 28.6 | 2.7 | 11.0 - 25.5 |
| 14 | | 8.4 - 20.3 | | 7.0 - 23.7 | | 11.6 - 25.3 | 4.3 | 11.5 - 28.0 | 0.9 | 11.3 - 24.5 |
| 15 | | 9.0 - 21.0 | | 8.0 - 23.3 | | 14.0 - 25.1 | | 12.3 - 25.1 | | 10.3 - 26.1 |
| 16 | | 8.0 - 22.9 | | 9.0 - 23.3 | | 12.1 - 23.5 | | 10.0 - 27.4 | T | 12.0 - 27.2 |
| 17 | 2.7 | 13.5 - 22.3 | | 9.0 - 24.0 | | 12.1 - 25.2 | | 10.5 - 26.5 | 1.4 | 10.8 - 27.5 |
| 18 | 8.8 | 11.2 - 22.1 | | 9.4 - 25.1 | 4.2 | 10.5 - 25.8 | | 10.8 - 27.3 | 7.7 | 10.4 - 27.0 |
| 19 | | 8.2 - 22.0 | | 10.9 - 25.1 | | 12.2 - 26.5 | | 10.3 - 27.3 | | 11.0 - 27.8 |
| 20 | | 7.6 - 21.9 | 0.5 | 10.7 - 25.8 | 2.0 | 11.0 - 25.8 | | 9.5 - 28.0 | 2.1 | 10.9 - 27.6 |
| 21 | | 11.4 - 23.7 | | 10.5 - 25.6 | 3.4 | 8.8 - 24.0 | | 9.8 - 28.4 | | 12.1 - 26.8 |
| 22 | 3.3 | 13.2 - 23.0 | | 11.4 - 26.4 | | 10.2 - 26.0 | | 10.0 - 28.6 | 0.8 | 13.2 - 23.7 |
| 23 | 1.8 | 9.3 - 22.8 | | 9.7 - 25.5 | | 10.4 - 26.2 | | 11.0 - 29.0 | 9.2 | 12.6 - 23.3 |
| 24 | | 6.5 - 22.0 | | 11.0 - 25.0 | | 9.4 - 26.3 | | 11.9 - 29.1 | 15.6 | 12.4 - 20.7 |
| 25 | | 8.3 - 22.6 | | 11.8 - 25.9 | | 9.3 - 26.4 | | 11.4 - 28.8 | 1.2 | 13.4 - 21.5 |
| 26 | | 9.7 - 22.7 | | 9.9 - 25.5 | | 7.0 - 25.1 | | 11.4 - 29.4 | 0.1 | 12.7 - 23.5 |
| 27 | | 8.8 - 23.4 | 8.0 | 9.5 - 24.2 | | 9.5 - 26.7 | | 11.3 - 29.0 | 46.2 | 12.5 - 25.0 |
| 28 | | 9.5 - 22.4 | T | 9.2 - 25.4 | 1.7 | 10.5 - 27.0 | | 12.5 - 28.6 | 1.0 | 12.9 - 22.0 |
| 29 | | 7.0 - 21.9 | | 7.9 - 25.5 | | | | 15.4 - 28.6 | 2.6 | 12.6 - 25.3 |
| 30 | | 7.0 - 22.1 | | 8.8 - 25.3 | | | | 11.6 - 27.5 | 8.5 | 12.0 - 22.8 |
| 31 | | 6.8 - 22.2 | | 9.3 - 26.0 | | | | 12.5 - 27.5 | | |
| Total | 68.2 | | 24.2 | | 27.9 | | 13.7 | | 104.7 | |
| Average | 9.9 | 28.4 | 8.9 | 24.2 | 10.4 | 25.4 | 10.7 | 27.7 | 11.1 | 25.5 |

Appendix I. continued (page 4)

| Date | May, 1983 | | June, 1983 | | July, 1983 | | August, 1983 | | September, 1983 | |
|---------|------------|-----------------------------|------------|-----------------------------|------------|-----------------------------|--------------|-----------------------------|-----------------|-----------------------------|
| | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. |
| 1 | 15.1 | 11.0 - 20.5 | | 7.9 - 24.0 | N.V. | 9.5 - N.V. | 2.6 | 9.5 - 22.5 | 5.2 | 9.8 - 22.3 |
| 2 | 18.1 | 13.5 - 24.5 | | 8.3 - 24.1 | | 7.0 - 21.2 | 7.3 | 8.0 - 22.4 | 4.2 | 12.5 - 21.0 |
| 3 | 33.5 | 10.0 - 24.5 | | 8.2 - 22.8 | 2.0 | 6.2 - 21.5 | T | 7.0 - 22.1 | | 11.0 - 22.5 |
| 4 | | 9.9 - 24.0 | 5.3 | 8.2 - 24.5 | | 6.0 - 22.0 | | 8.0 - 23.2 | 13.4 | 9.3 - 21.4 |
| 5 | 10.8 | 10.3 - 23.5 | 0.4 | 13.8 - 22.4 | | 5.5 - 21.0 | 1.8 | 9.3 - 24.3 | | 11.7 - 22.3 |
| 6 | | 11.0 - 24.5 | | 12.8 - 24.0 | | 5.0 - 22.0 | | 6.0 - 23.5 | 6.2 | 7.9 - 21.9 |
| 7 | | 12.0 - 22.0 | | 7.2 - 23.9 | | 7.5 - 23.3 | | 7.0 - 24.3 | 30.1 | 6.8 - 21.8 |
| 8 | | 10.0 - 24.0 | | 7.7 - 23.6 | | 6.4 - 22.5 | | 9.0 - 24.6 | 1.3 | 9.3 - 21.2 |
| 9 | | 10.6 - 22.5 | | 8.0 - 23.8 | | 6.8 - 23.0 | | 9.0 - 24.0 | 10.8 | 8.6 - 21.7 |
| 10 | 14.5 | 16.0 - 23.1 | 1.1 | 8.6 - 25.2 | | 8.0 - 23.7 | 3.1 | 9.5 - 20.3 | 11.0 | 9.4 - 21.5 |
| 11 | 1.4 | 10.0 - 24.0 | | 8.5 - 25.3 | | 7.3 - 24.5 | 6.5 | 10.5 - 22.5 | 1.9 | 8.7 - 20.5 |
| 12 | | 12.7 - 22.9 | | 8.3 - 24.2 | | 6.6 - 24.4 | 2.1 | 9.5 - 20.5 | 7.7 | 7.6 - 21.9 |
| 13 | | 12.7 - 22.5 | 1.1 | 9.4 - 24.7 | | 7.3 - 23.2 | 29.0 | 11.8 - 20.1 | | 7.8 - 23.5 |
| 14 | 4.3 | 9.2 - 22.8 | | 10.0 - 24.0 | | 7.6 - 24.4 | 0.4 | 11.4 - 20.0 | | 7.0 - 23.2 |
| 15 | | 8.9 - 22.8 | 3.9 | 8.5 - 25.1 | | 9.0 - 26.0 | | 9.2 - 17.0 | | 8.4 - 24.5 |
| 16 | | 10.0 - 24.5 | | 8.5 - 24.5 | 12.4 | 10.6 - 25.3 | 1.0 | 9.5 - 20.0 | 3.5 | 9.6 - 24.0 |
| 17 | | 10.2 - 25.5 | | 9.4 - 24.0 | 3.8 | 12.8 - 24.3 | 14.0 | 12.0 - 22.0 | | 8.8 - 23.6 |
| 18 | | 9.6 - 24.0 | | 7.9 - 24.0 | 0.9 | 12.8 - 22.1 | 0.8 | 11.9 - 20.6 | 2.6 | 7.8 - 21.8 |
| 19 | | 8.5 - 24.2 | | 12.5 - 25.0 | 0.9 | 9.3 - 19.5 | 22.2 | 12.6 - 16.5 | | 7.3 - 23.4 |
| 20 | 0.6 | 8.8 - 24.5 | 2.3 | 13.0 - 25.5 | 21.6 | 8.0 - 18.9 | 12.0 | 9.0 - 21.0 | 2.5 | 8.0 - 23.0 |
| 21 | 7.2 | 10.0 - 24.5 | | 11.8 - 23.5 | 8.1 | 10.8 - 20.3 | 8.7 | 11.6 - 21.3 | 7.6 | 11.4 - 22.5 |
| 22 | | 9.9 - 23.9 | 4.1 | 11.3 - 23.2 | 1.0 | 11.8 - 18.8 | 0.8 | 9.7 - 21.7 | 2.5 | 8.6 - 21.6 |
| 23 | | 10.4 - 24.0 | 3.8 | 12.0 - 20.9 | 0.6 | 12.2 - 22.5 | 3.8 | 10.0 - 21.5 | 6.7 | 8.0 - 23.2 |
| 24 | 1.1 | 12.9 - 24.0 | T | 11.5 - 24.2 | 2.1 | 12.5 - 21.0 | 6.7 | 11.0 - 22.1 | 3.4 | 8.4 - 22.5 |
| 25 | 2.3 | 10.7 - 24.3 | | 11.5 - 24.2 | | 12.7 - 19.2 | | 8.0 - 20.3 | 0.7 | 9.0 - 23.0 |
| 26 | 4.1 | 10.0 - 24.0 | 0.2 | 10.4 - 25.7 | 12.0 | 10.5 - 22.4 | | 9.1 - 21.9 | | 11.5 - 26.1 |
| 27 | | 8.7 - 24.1 | 2.6 | 12.6 - 23.4 | 4.5 | 10.7 - 22.1 | | 12.4 - 22.6 | 5.2 | 8.6 - 23.5 |
| 28 | | 8.9 - 25.0 | | 10.5 - 23.6 | | 9.2 - 23.5 | 3.0 | 9.6 - 23.4 | | 9.5 - 23.0 |
| 29 | | 10.5 - 25.6 | 13.1 | 11.5 - 22.9 | 0.5 | 9.8 - 23.0 | 32.6 | 8.3 - 22.3 | 0.6 | 9.6 - 23.3 |
| 30 | | 10.2 - 24.8 | | 10.5 - 20.2 | | 7.8 - 21.8 | 9.1 | 9.5 - 22.5 | | 9.5 - 21.1 |
| 31 | | 8.1 - 24.1 | | | | 9.6 - 22.4 | 0.5 | 10.8 - 22.6 | | |
| Total | 113.0 | | 37.9 | | 70.4 | | 168.0 | | 127.1 | |
| Average | | 10.4 | | 10.0 | | 8.9 | | 9.7 | | 9.1 |
| | | | | 23.9 | | 22.3 | | 21.7 | | 22.5 |

Appendix I. continued (page 5)

| Date | October, 1983 | | November, 1983 | | December, 1983 | | January, 1984 | | February, 1984 | |
|---------|---------------|-----------------------------|----------------|-----------------------------|----------------|-----------------------------|---------------|-----------------------------|----------------|-----------------------------|
| | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. | Rain mm | Temperature Min. (C)Max. |
| 1 | 1.8 | 9.3 - 23.5 | 4.3 | 10.0 - 21.7 | 2.8 | 6.5 - 22.8 | | 9.0 - 23.1 | 0.8 | 8.1 - 24.5 |
| 2 | | 8.7 - 22.6 | 7.9 | 10.5 - 21.3 | | 7.8 - 23.0 | | 8.0 - 23.6 | | 8.4 - 24.5 |
| 3 | | 11.0 - 24.5 | 6.2 | 9.0 - 22.1 | 5.5 | 6.3 - 22.9 | | 8.9 - 24.0 | | 8.8 - 24.5 |
| 4 | 11.6 | 12.6 - 23.5 | | 8.9 - 19.5 | | 6.6 - 23.0 | | 8.4 - 23.5 | 2.2 | 8.6 - 25.5 |
| 5 | | 12.9 - 23.0 | 6.0 | 9.0 - 21.5 | 1.7 | 8.4 - 22.3 | | 7.0 - 23.4 | | 7.5 - 24.9 |
| 6 | 0.2 | 13.3 - 22.9 | 27.1 | 10.0 - 23.2 | 24.2 | 9.2 - 21.1 | | 5.0 - 23.1 | | 7.6 - 26.0 |
| 7 | 8.0 | 12.5 - 21.5 | 9.1 | 11.0 - 22.5 | | 7.0 - 20.5 | | 5.8 - 22.3 | | 8.6 - 25.5 |
| 8 | 1.3 | 12.4 - 20.4 | 6.4 | 9.0 - 22.4 | 4.8 | 9.4 - 17.6 | | 6.6 - 23.0 | | 9.0 - 21.5 |
| 9 | 2.6 | 12.4 - 21.3 | | 9.0 - 22.1 | 5.2 | 7.5 - 21.4 | | 11.0 - 22.9 | | 9.5 - 26.5 |
| 10 | 3.5 | 12.0 - 20.8 | | 9.0 - 23.0 | 4.3 | 10.0 - 20.4 | 0.3 | 9.2 - 23.3 | | 6.8 - 26.7 |
| 11 | 6.3 | 10.9 - 21.5 | | 9.0 - 24.2 | | 10.2 - 19.0 | | 10.3 - 23.2 | | 7.1 - 26.2 |
| 12 | 5.2 | 10.7 - 21.1 | | 8.7 - 23.7 | | 8.5 - 22.5 | | 9.9 - 24.5 | | 7.8 - 25.7 |
| 13 | T | 9.0 - 21.5 | | 8.5 - 23.7 | | 8.0 - 24.0 | | 8.2 - 23.8 | | 7.2 - 26.2 |
| 14 | 2.9 | 10.0 - 22.4 | 1.6 | 10.1 - 23.6 | | 7.4 - 23.5 | | 7.7 - 23.8 | | 6.6 - 25.7 |
| 15 | 6.9 | 11.4 - 22.7 | 1.8 | 9.0 - 23.5 | | 8.4 - 23.5 | | 8.0 - 23.7 | | 8.0 - 26.5 |
| 16 | 1.1 | 13.0 - 22.8 | 0.1 | 9.1 - 23.8 | | 7.5 - 23.0 | 0.2 | 8.7 - 24.1 | | 8.9 - 27.4 |
| 17 | | 8.2 - 23.5 | | 9.5 - 23.7 | | 7.5 - 22.4 | | 9.2 - 24.0 | | 9.0 - 27.3 |
| 18 | | 8.5 - 23.0 | | 10.5 - 22.7 | | 8.9 - 24.4 | | 8.0 - 24.5 | | 8.1 - 27.0 |
| 19 | | 9.3 - 23.6 | 7.0 | 10.6 - 21.4 | 10.1 | 12.3 - 24.3 | | 7.8 - 24.4 | | 5.0 - 26.3 |
| 20 | 3.0 | 8.4 - 22.3 | 3.0 | 13.0 - 21.4 | 0.3 | 13.2 - 22.4 | | 8.2 - 24.2 | | 5.7 - 25.0 |
| 21 | 0.5 | 10.0 - 23.0 | | 9.5 - 21.6 | 0.2 | 11.5 - 22.9 | | 8.2 - 24.0 | | 8.2 - 26.0 |
| 22 | | 11.8 - 22.8 | | 8.1 - 22.4 | | 10.5 - 21.9 | | 7.9 - 24.6 | | 8.6 - 27.0 |
| 23 | | 10.9 - 22.8 | | 10.1 - 22.6 | | 13.0 - 23.0 | | 9.1 - 24.5 | | 7.0 - 26.2 |
| 24 | | 7.5 - 21.3 | | 8.4 - 23.3 | 1.2 | 12.0 - 21.0 | | 8.4 - 24.5 | | 7.0 - 26.2 |
| 25 | 2.1 | 9.0 - 21.3 | | 8.0 - 23.4 | 44.5 | 11.1 - 20.5 | | 9.5 - 24.5 | | 8.3 - 26.9 |
| 26 | | 7.3 - 22.3 | 1.7 | 9.9 - 22.5 | 2.7 | 10.0 - 19.2 | | 8.5 - 24.6 | | 8.8 - 27.2 |
| 27 | | 8.3 - 22.5 | | 7.8 - 22.5 | | 11.1 - 20.7 | | 8.3 - 23.8 | T | 9.1 - 25.9 |
| 28 | 1.1 | 7.4 - 22.7 | 1.0 | 8.8 - 23.3 | | 13.0 - 21.5 | | 8.0 - 25.4 | | 9.5 - 26.6 |
| 29 | | 7.3 - 22.0 | | 9.0 - 22.6 | | 8.5 - 21.5 | | 8.1 - 26.4 | 11.9 | 9.5 - 26.1 |
| 30 | | 9.2 - 22.0 | T | 7.7 - 21.5 | | 9.5 - 22.5 | | 9.4 - 26.7 | | |
| 31 | 1.7 | 10.4 - 22.7 | | | | 9.8 - 22.5 | | 10.7 - 25.3 | | |
| Total | 59.8 | | 83.2 | 120.9 | 120.9 | | 0.5 | 14.9 | | |
| Average | | 10.2 22.4 | | 9.4 22.6 | | 9.4 22.0 | | 8.4 24.1 | | 8.0 25.9 |

* N.V. = No Value, no data available